

### Product Overview

The AX-RA-08D On/Off or 2/3 Point damper actuators are designed for dampers in ventilation and air-conditioning systems. These 24Vac/dc & 230Vac operated actuators comes with two auxiliary SPDT switches.

The 8Nm damper actuator AX-RA-08D with control of On/Off or 2/3 Points are used to regulate dampers up to approximately 1.5m<sup>2</sup>.



### Products Features

- Manual control button available in casing.
- Self Overload Protection
- Mechanical limit operator
- CE Complaint

### Product Specifications

Torque:	8Nm
Damper size:	1.5m <sup>2</sup>
Running time:	55 Sec
Power supply:	AC/DC 24V 50/60Hz OR AC 100-240V 50/60Hz
Nominal voltage range:	24Vac (AC/DC 19.2V-28.8V), 230Vac (AC 85V-265V)
Power consumption:	Runtime: 4.5W, Holding: 0.5W
Angle of rotation:	90° Max (Mechanical Adjustment Option)
Life cycle:	60,000 cycles
Control Signal:	On/Off or 2/3 Points
Auxiliary switch:	2x SPDT
Auxiliary switch rating:	3(1.5)Amp, AC230V
Sound power level, motor:	45dB
Ingress protection:	IP54
Ambient temperature:	-20°C to 50°C
Storage temperature:	-30°C to 80°C
Humidity test:	95% RH (Non Condensing)
Weight:	1.3 Kg
Shaft length:	>50mm
Compliance:	CE
Country Of Origin:	UK

### Order Codes

Part Number	Description
AX-RA-08D	Damper Actuator, On/Off or 2/3 Point, 24V, 8Nm
AX-RA-08DS	Damper Actuator, On/Off or 2/3 Point, 24V, 8Nm, 2 Aux switches


\* Add suffix “-230” for 230Vac versions

# AX-RA-08D





Damper Actuator, On/Off or 2/3 Point, 8Nm

## Dimensions (mm)




## Wiring Diagram (24V)

## Wiring Diagram (230V)



### Auxiliary switch



### Datasheet Contents

Every effort has been taken in the production of this data sheet to ensure accuracy. Axio do not accept responsibility for any damage, expense, injury, loss or consequential loss resulting from any errors or omissions. Axio has a policy of continuous improvement and reserves the right to change this specification without notice.